

What classes are set to SETROPTS LOGOPTIONS(ALWAYS)?

Classes	Count
None	14
\$OPCEXIT \$OP2EXIT \$OP3EXIT	1
ACCTNUM	1
DATASET	1
DIRSRCH	1
FACILITY XFACILIT GXFACILI	3
FSSEC	10
GROUP	1
OPERCMD5	6
PROCESS	4
PROGRAM PMBR	1
SDSF GSDSF	1
STARTED	1
STORCLASS	1
SURROGAT	5
TSOPROC	1
USER	1
All Classes	1
Responses	36

What classes are set to SETROPTS LOGOPTIONS(NEVER)?


Classes	Count
None	32
ALCHEM#	1
DSNADM	1
FSOBJ	1
VMXEVENT VXMBR	1
All Inactive Classes	1
Responses	36

What classes are set to SETROPTS LOGOPTIONS(SUCCESSSES)?

Classes	Count
None	34
PROCACT	1
UNIXPRIV	1
Responses	36

How many of your classes are set to SETROPTS LOGOPTIONS(FAILURES)?

Responses	Count	Percent %
None	21	58.3%
Only a few classes	12	33.3%
One-third or less	1	2.8%
One-third to two-thirds	1	2.8%
Two-thirds or more	1	2.8%
Responses	36	100%



Which, if any, of the following classes are defined to LOGOPTIONS(FAILURES)?

Responses	Count	Percent %
IPCOBJ, PROCACT, PROCESS	8	22.2%
PROCESS only	1	2.8%
None of the above	27	75.0%
Responses	36	100%

